EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
.3	12112	;((382/124,125,115,254,173,289,209,116,266,272,126,127,195,296,260,274,190,192,228,154.cds.)).CCLS.	USPAT	OR	OFF	2011/02/17 13:33
_4	1	1.3 and(extract\$3 adj features or feature adj alignment)and(fingerprint or finger adj print or minutiae)and(test or input adj image or reference adj image or template)and location and orientation and(detect\$3 or determining)adj weight\$3	USPAT	OR	ON	2011/02/17 13:34
.5	53	3 and(extract\$3 adj features or feature adj alignment)and(fingerprint or finger adj print or minutiae)and(test or input adj image or reference adj image or template)and location and orientation	USPAT	OR	ON	2011/02/17 13:35
.6	0	15 and feature adj alignment and difference adj measuring and weight\$3 and(fingerprint or finger adj print or minutiae)and location and orientation	USPAT	OR	ON	2011/02/17 13:35
.7	0	L5 and(fingerprint or finger adj print or minutiae) and summing adj weights and(less or more) and threshold and difference and (detect\$3 or determin\$3) and (score or similarity) and (test or reference) adj imag\$1	USPAT	OR	ON	2011/02/17 13:36
_8	0	1.5 and(fingerprint or finger adj print or minutiae) and summing adj weights and(less or more) and threshold and(score or similarity) and (test or reference) adj imag\$1	USPAT	OR	ON	2011/02/17 13:37
_9	0	(fingerprint or finger adj print or minutiae)and summing adj weights and(less or more)and threshold and(score or similarity)and (test or reference)adj imag\$1	USPAT	OR	ON	2011/02/17 13:37
_10	0	L5 and(fingerprint or finger adj print or minutiae)and summing adj weights	USPAT	OR	ON	2011/02/17 13:37
.11	1	L5 and(fingerprint or finger adj print or minutiae)and summing and weights	USPAT	OR	ON	2011/02/17 13:38
_12	0	L5 and(fingerprint or finger adj print or minutiae)same summing and weights	USPAT	OR	ON	2011/02/17 13:42
_13	520	340/5.82,5.83.CQLS.	USPAT	OR	ON	2011/02/17 13:47
.14	13	L13 and(extract\$3 adj features or feature adj alignment)and(fingerprint or finger adj print or minutiae)and(test or input adj image or reference adj image or template)and location and orientation	USPAT	OR	ON	2011/02/17 13:47
.15	0	L14 and(fingerprint or finger adj print or minutiae)and summing adj weights and(less or more)and threshold and(score or similarity)and(test or reference)adj imag\$1	USPAT	OR	ON	2011/02/17 13:48
_16	0	L14 and(fingerprint or finger adj print or minutiae)and summing adj weights	USPAT	OR	ON	2011/02/17 13:49
_17	1005	356/71.CQLS.	USPAT	OR	ON	2011/02/17 14:05
.18	2	1.17 and(extract\$3 adj features or feature adj alignment)and(fingerprint or finger adj print or minutiae)and(test or input adj image or reference adj image or template)and location and orientation	USPAT	OR	ON	2011/02/17 14:05
_19	0	1.18 and(fingerprint or finger adj print or minutiae)and summing adj weights and(less or more)and threshold and(score or similarity)and(test or reference)adj imag\$1	USPAT	OR	ON	2011/02/17 14:05
20	2	L17 and(fingerprint or finger adj print or minutiae)and summing and weights	USPAT	OR	ON	2011/02/17 14:06
 .21	0	L18 and(fingerprint or finger adj print or minutiae)and summing adj weights and(less or more)and threshold and(score or similarity)and(test or reference)adj imag\$1	USPAT	OR	ON	2011/02/17 14:11
L22	2166	348/E5.008,E7.06,E7.009,E7.024,E5.006,E7.07.CCLS.	USPAT	OR	ON	2011/02/17 14:13

	0	122 and(extract\$3 adj features or feature adj alignment)and(fingerprint or finger adj print or minutiae)and(test or input adj image or reference adj image or template)and location and orientation	USPAT	OR	ON	2011/02/17 14:14
24	0	122 and(fingerprint or finger adj print or minutiae)and summing adj weights and(less or more)and threshold and(score or similarity)and(test or reference)adj imag\$1	USPAT	OR	ON	2011/02/17 14:14
25	2946	705/50,51,57,80,52,53.CCLS.	USPAT	OR	ON	2011/02/17 14:18
26	0	125 and(extract\$3 adj features or feature adj alignment)and(fingerprint or finger adj print or minutiae)and(test or input adj image or reference adj image or template)and location and orientation	USPAT	OR	ON	2011/02/17 14:19
27	851	375/E5.008,E7.06,E7.009,E7.024.CQLS.	USPAT	OR	ON	2011/02/17 14:20
28	0	127 and(extract\$3 adj features or feature adj alignment)and(fingerprint or finger adj print or minutiae)and(test or input adj image or reference adj image or template)and location and orientation	USPAT	OR	ON	2011/02/17 14:20
<u>29</u>	0	1.27 and(fingerprint or finger adj print or minutiae)and summing adj weights and(less or more)and threshold and(score or similarity)and(test or reference)adj imag\$1	USPAT	OR	ON	2011/02/17 14:21
1	0	extract\$3 adj features near4(fingerprint or finger adj print)near4(test or input adj image)near4(reference adj image or template) and location and orientation and (detect\$3 or determining)near3 weight	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/17 10:40
<u>)</u>	0	extract\$3 adj features and(fingerprint or finger adj print)near4(test or input adj image)near4(reference adj image or template) and location and orientation and (detect\$3 or determining)near3 weight	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/17 10:41
3	1	extract\$3 adj features and(fingerprint or finger adj print)and(test or input adj image)near4(reference adj image or template)and location and orientation and (detect\$3 or determining)near3 weight	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/17 10:41
1	0	(extract\$3 adj features and(fingerprint or finger adj print)and(test or input adj image)and(reference adj image or template)and location and orientation and (detect\$3 or determining)and weight).CLM.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/17 10:42
 	2648	comparing and features and(test or input adj image)and(reference adj image or template)and location and orientation and (detect\$3 or determining)and weight and aligning and threshold and(less or more)and(similarity or scores)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/17 10:54
6	0	S1 and(@ad<"20011019" or @rlad<"20011019" or @prad<"20011019" or @ptad<"20011019")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/17 11:00
7	1868	S5 and(@ad< "20011019" or @rlad< "20011019" or @prad< "20011019" or @ptad< "20011019")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/17 11:00

S8	511	S5 and @ad< "20011019"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/17 11:01
S 9	3	\$8 and measur\$3 adj difference and locations and orientations	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/17 11:02
S10	30	extract\$3 adj features and(fingerprint or finger adj print)and(test or input adj image)and(reference adj image or template)and location and orientation and (detect\$3 or determining)near3 weight	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/17 11:03
S11	5	\$10 and comparing and features and(test or input adj image)and(reference adj image or template)and location and orientation and(detect\$3 or determining)and weight and aligning and threshold and(less or more)and(similarity or scores)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/17 11:04
S12	0	S11 and @ad<"20011019"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/17 11:04
S13	38	(extract\$3 adj features or feature adj alignment)and(fingerprint or finger adj print or minutiae)and(test or input adj image or reference adj image or template)and location and orientation and(detect\$3 or determining)adj weight\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/17 11:13
S14	5	\$13 and comparing and features and(test or input adj image)and(reference adj image or template)and location and orientation and(detect\$3 or determining)and weight\$3 and aligning and threshold and(less or more)and(similarity or scores)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/17 11:14
S15	0	S14 and @ad< "20011019"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/17 11:14
S16	2	feature adj alignment and difference adj measuring and weight\$3 and(fingerprint or finger adj print or minutiae)and(test or input adj image or reference adj image or template)and location and orientation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/17 11:19
S17	0	S16 and @ad< "20011019"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/17 11:20

518	2	feature adj alignment and difference adj measuring and weight\$3 and(fingerprint or finger adj print or minutiae)and location and orientation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/17 11:21
19	0	(extract\$3 adj features or feature adj alignment)same(fingerprint or finger adj print or minutiae)same(test or input adj image or reference adj image or template)same location same orientation and(detect\$3 or determining)adj weight\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/17 11:24
20	4	(extract\$3 adj features or feature adj alignment)same(fingerprint or finger adj print or minutiae)and(detect\$3 or determining) adj weight\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/17 11:25
21	96	(("(20030076985") or ("6185318") or ("6049621") or ("6314197") or ("5659626") or ("5799098") or ("5926555") or ("7257241") or ("20060153433") or ("5883971") or ("5963656") or ("6072895") or ("6111978") or ("4310827") or ("4607384") or ("5878157") or ("6263091") or ("6289112") or ("6324297") or ("6778685") or ("20040175023") or ("20040218791") or ("6487306") or ("5717777") or ("5917928") or ("6253193") or ("6363488") or ("6389402") or ("6427140") or ("20040028261") or ("5995640") or ("6005963") or ("5493621") or ("5901239") or ("5960101") or ("5974163") or ("5978495") or ("6064753") or ("6173068") or ("6266433") or ("6314401") or ("6597802") or ("7072523") or ("7116806") or ("7356171") or ("7369684") or ("7728959") or ("20020146178") or ("20050123175") or ("20070154073") or ("),pn.")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/02/17 11:30
22	2	S21 and feature adj alignment and difference adj measuring and weight\$3 and(fingerprint or finger adj print or minutiae)and (test or input adj image or reference adj image or template)and location and orientation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/17 11:31
 23	78	\$21 and @ad< "20011019"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/17 11:31
24	0	\$23 and(extract\$3 adj features or feature adj alignment)and(fingerprint or finger adj print or minutiae)and(test or input adj image or reference adj image or template)and location and orientation and(detect\$3 or determining)adj weight\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/17 11:32
25	1	\$23 and(fingerprint or finger adj print or minutiae)and(test or input adj image or reference adj image or template)and location and orientation and(detect\$3 or determining)adj weight\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/17 11:33
26	6	\$23 and comparing and features and(test or input adj image)and(reference adj image or template)and location and orientation and(detect\$3 or determining)and weight\$3 and aligning and threshold and(less or more)and(similarity or scores)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/17 11:36
527	1	\$25 and(fingerprint or finger adj print or minutiae)and(test or input adj image or reference adj image or template)and location and orientation and(detect\$3 or determining)adj weight\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/17 11:36

S28	0	\$25 and feature adj alignment and difference adj measuring and weight\$3 and(fingerprint or finger adj print or minutiae)and location and orientation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/17 11:41
S29	0	\$23 and feature adj alignment and difference adj measuring and weight\$3 and(fingerprint or finger adj print or minutiae)and location and orientation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/17 11:42
S30	23	((BABACK) near2 (MOCHADDAM)).INV.	US-PGPUB; USPAT	OR	ON	2011/02/17 11:45
S31	1	\$30 and(fingerprint or finger adj print or minutiae)and(test or input adj image or reference adj image or template)and location and orientation and(detect\$3 or determining)adj weight\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/17 11:53
S32	0	\$27 and summing adj weights and(less or more) and threshold and difference and (detect\$3 or determin\$3) and(score or similarity) and(test or reference) adj image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/17 12:01
S33	1	(fingerprint or finger adj print or minutiae)and summing adj weights and(less or more)and threshold and difference and(detect \$3 or determin\$3)and(score or similarity)and(test or reference)adj imag\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/02/17 12:08

2/17/11 2:21:20 PM

C:\ Documents and Settings\ SChawan\ My Documents\ EAST\ Workspaces\ 7409.wsp